

Certified Product List - Residential



2020 WERS Certified Products Directory - AFRC

NOTES

1. These results are not for public reference can only be used by financial WERS members only.
2. The use of these results requires manufacture validation through the AWA Accreditation Scheme.
3. U_w is the whole window U-value
4. SHGC_w is the whole window solar heat gain coefficient
5. T_{vw} is the whole window visible (light) transmittance
6. Percentage improvement figures are compared with using base-case Generic Window 1 (3mm clear in standard aluminium frame)
7. A negative percentage improvement figure indicates performance worse than the base-case window
8. A positive percentage improvement figure indicates performance better than the base-case window
9. Maximum air infiltration is 5.0L/s.m² at a positive pressure difference of 75 Pa as measured according to AS 2047
10. Static performance (U_w SHGC_w T_{vw} T_{dw}) calculated using Window 7.4 and Therm 7.4 software (LBNL), 1999-2016
11. Annual energy performance (stars and % improvements) calculated using Nationwide House Energy Rating Software (AccuRate) according to procedures of WERS 2008.
12. Results disclosed at Australian Fenestration Rating Council (AFRC) regulations.
13. Products performance is based on products excluding reveals unless "with In-Line Reveal" is included in the product description.
14. Results marked as "with In-Line Reveal" can only be (claimed/used/certified/used for marketing and compliance) when designed, tested, sold, installed and warranted with the reveal in situ. Products that do not include the reveal must revert to the performance excluding the in-line reveal. Please contact the window manufacturer or WERS for further details.

Window ID	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U_w	SHGC _w	T_{vw}	Air Inf
ANE-001-01	Aluminium Sashless Double Hung Window - Single Glazed	6Clr	☆☆	★★★☆☆	24%	19%	6.0	0.63	0.66	2.23
ANE-001-02	Aluminium Sashless Double Hung Window - Single Glazed	6Gy	☆☆☆	★★★	38%	10%	6.0	0.45	0.31	2.23
ANE-001-03	Aluminium Sashless Double Hung Window - Single Glazed	638ClrLam	☆☆	★★★☆☆	25%	19%	6.0	0.62	0.67	2.23
ANE-001-04	Aluminium Sashless Double Hung Window - Single Glazed	6SnClr	☆☆☆	★★★★☆	43%	27%	4.8	0.46	0.51	2.23
ANE-001-05	Aluminium Sashless Double Hung Window - Single Glazed	6ET	☆☆☆	★★★★☆	39%	35%	4.4	0.54	0.61	2.23
ANE-001-06	Aluminium Sashless Double Hung Window - Single Glazed	638CPNtl	☆☆☆☆	★★★★☆	50%	28%	4.4	0.40	0.44	2.23
ANE-001-07	Aluminium Sashless Double Hung Window - Single Glazed	6SolTechGy	☆☆☆☆	★★★☆☆	57%	22%	4.4	0.29	0.22	2.23
ANE-001-08	Aluminium Sashless Double Hung Window - Single Glazed	6PIG	☆☆☆	★★★★☆	39%	34%	4.5	0.54	0.60	2.23
ANE-001-09	Aluminium Sashless Double Hung Window - Single Glazed	6.38GyLam	☆☆☆	★★★☆☆	36%	14%	5.9	0.49	0.33	2.23
ANE-001-10	Aluminium Sashless Double Hung Window - Single Glazed	6ETGy	☆☆☆☆	★★★★☆	52%	27%	4.4	0.37	0.30	2.23

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-001-11	Aluminium Sashless Double Hung Window - Single Glazed	6.38GrnLam	★☆☆	★★★☆☆	30%	16%	6.0	0.56	0.53	2.23
ANE-002-01	Aluminium Sashless Double Hung Window - Double Glazed	4Clr/8/4Clr	★★★☆☆	★★★★★☆☆	35%	41%	4.2	0.60	0.62	3.77
ANE-002-02	Aluminium Sashless Double Hung Window - Double Glazed	4Clr/8Ar/4ET	★★★☆☆	★★★★★☆☆	42%	47%	3.5	0.56	0.58	3.77
ANE-002-03	Aluminium Sashless Double Hung Window - Double Glazed	4SpGn/8Ar/4ET	★★★★★	★★★★★☆☆	57%	36%	3.5	0.35	0.48	3.77
ANE-002-04	Aluminium Sashless Double Hung Window - Double Glazed	6.38CPNtl/6/4Clr	★★★★☆☆	★★★★★☆☆	54%	32%	3.9	0.37	0.41	3.77
ANE-002-05	Aluminium Sashless Double Hung Window - Double Glazed	4SnClr/8/4Clr	★★★★☆☆	★★★★★☆☆	50%	36%	3.9	0.43	0.48	3.77
ANE-002-06	Aluminium Sashless Double Hung Window - Double Glazed	4Clr/8/4ET	★★★☆☆	★★★★★☆☆	41%	45%	3.7	0.56	0.58	3.77
ANE-002-07	Aluminium Sashless Double Hung Window - Double Glazed	4Clr/8/4PIG	★★★☆☆	★★★★★☆☆	41%	44%	3.8	0.56	0.57	3.77
ANE-002-08	Aluminium Sashless Double Hung Window - Double Glazed	4Gy/8/4Clr	★★★★	★★★★★☆☆	47%	33%	4.2	0.45	0.38	3.77
ANE-002-09	Aluminium Sashless Double Hung Window - Double Glazed	4Gy/8/4PIG	★★★★☆☆	★★★★★☆☆	52%	36%	3.8	0.41	0.36	3.77
ANE-002-10	Aluminium Sashless Double Hung Window - Double Glazed	6SoIT/6/4Clr	★★★★☆☆	★★★★★☆☆	53%	33%	3.9	0.38	0.44	3.77
ANE-002-11	Aluminium Sashless Double Hung Window - Double Glazed	6SoIT/6/4ET	★★★★☆☆	★★★★★☆☆	54%	32%	3.9	0.37	0.41	3.77
ANE-002-12	Aluminium Sashless Double Hung Window - Double Glazed	LB Clr S0 5/6/5	★★★★☆☆	★★★★★☆☆	50%	42%	3.5	0.46	0.60	3.77
ANE-002-13	Aluminium Sashless Double Hung Window - Double Glazed	LB Clr S0 4/8/4	★★★★☆☆	★★★★★☆☆	51%	44%	3.3	0.46	0.61	3.77
ANE-002-14	Aluminium Sashless Double Hung Window - Double Glazed	LB Gy S0 4/8/4	★★★★★☆☆	★★★★★☆☆	60%	37%	3.3	0.33	0.38	3.77
ANE-002-15	Aluminium Sashless Double Hung Window - Double Glazed	AGG CLASSIC Clr 4/8/4	★★★	★★★★★☆☆	34%	43%	4.1	0.62	0.63	3.77
ANE-002-16	Aluminium Sashless Double Hung Window - Double Glazed	AGG CLASSIC Clr 6/6/4	★★★☆☆	★★★★★☆☆	36%	41%	4.2	0.59	0.62	3.77
ANE-002-17	Aluminium Sashless Double Hung Window - Double Glazed	AGG CLASSIC Gy 4/8/4	★★★★	★★★★★☆☆	47%	36%	4.1	0.47	0.39	3.77

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-002-18	Aluminium Sashless Double Hung Window - Double Glazed	AGG CLASSIC Gy 6/6/4	★★★★☆	★★★★☆	51%	31%	4.2	0.40	0.31	3.77
ANE-002-19	Aluminium Sashless Double Hung Window - Double Glazed	AGG CLASSIC Clr lam 6.38/6/4	★★★☆☆	★★★★★☆☆	38%	40%	4.2	0.57	0.62	3.77
ANE-002-20	Aluminium Sashless Double Hung Window - Double Glazed	AGG CLASSIC WTrans lam 6.38/6/4	★★★☆☆	★★★★☆	45%	35%	4.2	0.48	0.48	3.77
ANE-002-21	Aluminium Sashless Double Hung Window - Double Glazed	AGG PRIME Clr 4/8/4	★★★★☆	★★★★★☆☆	51%	41%	3.5	0.45	0.53	3.77
ANE-002-22	Aluminium Sashless Double Hung Window - Double Glazed	AGG PRIME Clr 4/6/6	★★★★☆	★★★★★☆☆	50%	39%	3.7	0.45	0.52	3.77
ANE-002-23	Aluminium Sashless Double Hung Window - Double Glazed	AGG PRIME Gy 4/8/4	★★★★☆	★★★★★	55%	38%	3.5	0.39	0.33	3.77
ANE-002-24	Aluminium Sashless Double Hung Window - Double Glazed	AGG PRIME Gy 6/6/4	★★★★★	★★★★☆	58%	33%	3.7	0.33	0.26	3.77
ANE-002-25	Aluminium Sashless Double Hung Window - Double Glazed	AGG PRIME Clr lam 4/6/6.38	★★★★☆	★★★★★☆☆	50%	39%	3.7	0.44	0.53	3.77
ANE-002-26	Aluminium Sashless Double Hung Window - Double Glazed	AGG PRIME WTrans lam 4/6/6.38	★★★★☆	★★★★★	52%	38%	3.7	0.42	0.40	3.77
ANE-002-27	Aluminium Sashless Double Hung Window - Double Glazed	AGG PLUS Clr 4/8/4	★★★★☆	★★★★★☆☆	49%	45%	3.3	0.48	0.62	3.77
ANE-002-28	Aluminium Sashless Double Hung Window - Double Glazed	AGG PLUS Clr 6/6/4	★★★★☆	★★★★★☆☆	49%	42%	3.5	0.47	0.61	3.77
ANE-002-29	Aluminium Sashless Double Hung Window - Double Glazed	AGG PLUS Gy 4/8/4	★★★★★☆☆	★★★★★	58%	38%	3.3	0.35	0.39	3.77
ANE-002-30	Aluminium Sashless Double Hung Window - Double Glazed	AGG PLUS Gy 6/6/4	★★★★★☆☆	★★★★☆	60%	33%	3.5	0.30	0.30	3.77
ANE-002-31	Aluminium Sashless Double Hung Window - Double Glazed	AGG PLUS Clr lam 6.38/6/4	★★★★☆	★★★★★☆☆	50%	42%	3.5	0.46	0.62	3.77
ANE-002-32	Aluminium Sashless Double Hung Window - Double Glazed	AGG PLUS WTrans lam 6.38/6/4	★★★★☆	★★★★★	56%	37%	3.5	0.38	0.47	3.77
ANE-002-33	Aluminium Sashless Double Hung Window - Double Glazed	AGG MAX Clr 6/6/4	★★★★★☆☆	★★★★☆	65%	29%	3.5	0.23	0.50	3.77
ANE-002-34	Aluminium Sashless Double Hung Window - Double Glazed	AGG MAX Gy 6/6/4	★★★★★	★★★★☆	66%	28%	3.5	0.22	0.31	3.77
ANE-003-01	Timber Sashless Double Hung Window - Single Glazed	6Clr	★★☆☆	★★★★☆	26%	34%	5.0	0.66	0.70	4.52

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-003-02	Timber Sashless Double Hung Window - Single Glazed	6Gy	★★★☆☆	★★★★★	42%	24%	5.0	0.46	0.33	4.52
ANE-003-03	Timber Sashless Double Hung Window - Single Glazed	638ClrLam	★★☆☆*	★★★★★☆☆	27%	34%	4.9	0.65	0.71	4.52
ANE-003-04	Timber Sashless Double Hung Window - Single Glazed	6SnClr	★★★★★☆☆	★★★★★☆☆	47%	41%	3.7	0.48	0.54	4.52
ANE-003-05	Timber Sashless Double Hung Window - Single Glazed	6ET	★★★☆☆	★★★★★☆☆	43%	49%	3.3	0.56	0.65	4.52
ANE-003-06	Timber Sashless Double Hung Window - Single Glazed	638CPNtl	★★★★★☆☆	★★★★★☆☆	54%	42%	3.3	0.41	0.47	4.52
ANE-003-07	Timber Sashless Double Hung Window - Single Glazed	6SolTechGy	★★★★★☆☆	★★★★★☆☆	62%	35%	3.3	0.29	0.24	4.52
ANE-003-08	Timber Sashless Double Hung Window - Single Glazed	6ETGy	★★★★★☆☆	★★★★★☆☆	56%	40%	3.3	0.38	0.32	4.52
ANE-003-09	Timber Sashless Double Hung Window - Single Glazed	6PIG	★★★☆☆	★★★★★☆☆	43%	49%	3.3	0.56	0.64	4.52
ANE-003-10	Timber Sashless Double Hung Window - Single Glazed	6.38GyLam	★★★☆☆	★★★★★☆☆	40%	27%	4.9	0.50	0.36	4.52
ANE-003-11	Timber Sashless Double Hung Window - Single Glazed	6.38GrnLam	★★☆☆*	★★★★★☆☆	33%	30%	5.0	0.58	0.57	4.52
ANE-004-01	Timber Sashless Double Hung Window - Double Glazed	4Clr-8-4Clr	★★★☆☆	★★★★★☆☆	39%	54%	3.1	0.62	0.65	3.22
ANE-004-02	Timber Sashless Double Hung Window - Double Glazed	4-8Ar-4ET	★★★☆☆	★★★★★☆☆	46%	60%	2.4	0.58	0.61	3.22
ANE-004-03	Timber Sashless Double Hung Window - Double Glazed	4SpGn-8Ar-4ET	★★★★★☆☆	★★★★★☆☆	63%	49%	2.3	0.35	0.50	3.22
ANE-004-04	Timber Sashless Double Hung Window - Double Glazed	638CPNtl-6-4	★★★★★☆☆	★★★★★☆☆	59%	45%	2.8	0.38	0.43	3.22
ANE-004-05	Timber Sashless Double Hung Window - Double Glazed	4SnClr-8-4	★★★★★☆☆	★★★★★☆☆	55%	49%	2.8	0.44	0.50	3.22
ANE-004-06	Timber Sashless Double Hung Window - Double Glazed	4-8-4ET	★★★☆☆	★★★★★☆☆	43%	59%	2.6	0.60	0.63	3.22
ANE-004-07	Timber Sashless Double Hung Window - Double Glazed	4Clr-8-4PIG	★★★☆☆	★★★★★☆☆	45%	58%	2.6	0.58	0.60	3.22
ANE-004-08	Timber Sashless Double Hung Window - Double Glazed	4Gy-8-4Clr	★★★★★☆☆	★★★★★☆☆	52%	46%	3.1	0.46	0.41	3.22

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-004-09	Timber Sashless Double Hung Window - Double Glazed	4Gy-8-4PIG	★★★★	★★★★★	57%	50%	2.6	0.42	0.37	3.22
ANE-004-10	Timber Sashless Double Hung Window - Double Glazed	6SolT-6-4Clr	★★★★☆	★★★★☆	58%	46%	2.8	0.39	0.46	3.22
ANE-004-11	Timber Sashless Double Hung Window - Double Glazed	6ST-6-4ET	★★★★☆	★★★★☆	59%	45%	2.8	0.37	0.43	3.22
ANE-004-12	Timber Sashless Double Hung Window - Double Glazed	LB Clr S0 5/6/5	★★★★☆	★★★★★ ☆	54%	55%	2.4	0.47	0.64	3.22
ANE-004-13	Timber Sashless Double Hung Window - Double Glazed	LB Clr S0 4/8/4	★★★★☆	★★★★★ ☆	55%	57%	2.2	0.48	0.64	3.22
ANE-004-14	Timber Sashless Double Hung Window - Double Glazed	LB Gy S0 4/8/4	★★★★☆	★★★★★	64%	50%	2.2	0.34	0.40	3.22
ANE-004-15	Timber Sashless Double Hung Window - Double Glazed	AGG CLASSIC Clr 4/8/4	★★★☆☆	★★★★★ ☆	38%	56%	3.0	0.63	0.66	3.22
ANE-004-16	Timber Sashless Double Hung Window - Double Glazed	AGG CLASSIC Clr 6/6/4	★★★☆☆	★★★★★ ☆	39%	54%	3.1	0.61	0.66	3.22
ANE-004-17	Timber Sashless Double Hung Window - Double Glazed	AGG CLASSIC Gy 4/8/4	★★★★☆	★★★★☆	51%	49%	3.0	0.48	0.41	3.22
ANE-004-18	Timber Sashless Double Hung Window - Double Glazed	AGG CLASSIC Gy 6/6/4	★★★★☆	★★★★☆	55%	44%	3.1	0.41	0.33	3.22
ANE-004-19	Timber Sashless Double Hung Window - Double Glazed	AGG CLASSIC Clr lam 6.38/6/4	★★★☆☆	★★★★★ ☆	42%	53%	3.1	0.59	0.66	3.22
ANE-004-20	Timber Sashless Double Hung Window - Double Glazed	AGG CLASSIC WTrans lam 6.38/6/4	★★★★☆	★★★★☆	50%	48%	3.1	0.49	0.50	3.22
ANE-004-21	Timber Sashless Double Hung Window - Double Glazed	AGG PRIME Clr 4/8/4	★★★★☆	★★★★★ ☆	55%	54%	2.4	0.46	0.56	3.22
ANE-004-22	Timber Sashless Double Hung Window - Double Glazed	AGG PRIME Clr 4/6/6	★★★★☆	★★★★★ ☆	55%	52%	2.6	0.46	0.55	3.22
ANE-004-23	Timber Sashless Double Hung Window - Double Glazed	AGG PRIME Gy 4/8/4	★★★★☆	★★★★★ ☆	60%	51%	2.4	0.40	0.35	3.22
ANE-004-24	Timber Sashless Double Hung Window - Double Glazed	AGG PRIME Gy 6/6/4	★★★★☆	★★★★☆	63%	46%	2.6	0.34	0.27	3.22
ANE-004-25	Timber Sashless Double Hung Window - Double Glazed	AGG PRIME Clr lam 4/6/6.38	★★★★☆	★★★★★ ☆	55%	52%	2.5	0.45	0.55	3.22
ANE-004-26	Timber Sashless Double Hung Window - Double Glazed	AGG PRIME WTrans lam 4/6/6.38	★★★★☆	★★★★★ ☆	56%	51%	2.5	0.43	0.42	3.22

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-004-27	Timber Sashless Double Hung Window - Double Glazed	AGG PLUS Clr 4/8/4	★★★★☆	★★★★★ ☆	54%	58%	2.2	0.49	0.65	3.22
ANE-004-28	Timber Sashless Double Hung Window - Double Glazed	AGG PLUS Clr 6/6/4	★★★★☆	★★★★★ ☆	54%	55%	2.4	0.48	0.65	3.22
ANE-004-29	Timber Sashless Double Hung Window - Double Glazed	AGG PLUS Gy 4/8/4	★★★★★☆☆	★★★★★ ☆	63%	51%	2.2	0.36	0.41	3.22
ANE-004-30	Timber Sashless Double Hung Window - Double Glazed	AGG PLUS Gy 6/6/4	★★★★★☆☆	★★★★★☆☆	66%	45%	2.4	0.31	0.32	3.22
ANE-004-31	Timber Sashless Double Hung Window - Double Glazed	AGG PLUS Clr lam 6.38/6/4	★★★★☆	★★★★★ ☆	55%	55%	2.4	0.47	0.65	3.22
ANE-004-32	Timber Sashless Double Hung Window - Double Glazed	AGG PLUS WTrans lam 6.38/6/4	★★★★★☆☆	★★★★★	61%	50%	2.4	0.38	0.49	3.22
ANE-004-33	Timber Sashless Double Hung Window - Double Glazed	AGG MAX Clr 6/6/4	★★★★★☆☆	★★★★★☆☆	71%	41%	2.4	0.23	0.53	3.22
ANE-004-34	Timber Sashless Double Hung Window - Double Glazed	AGG MAX Gy 6/6/4	★★★★★☆☆	★★★★★☆☆	72%	40%	2.4	0.22	0.33	3.22
ANE-005-01	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6Clr	★★☆	★★★☆☆	24%	16%	6.2	0.62	0.64	0.9
ANE-005-02	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6ClrLam	★★☆	★★★☆☆	25%	17%	6.1	0.61	0.65	0.9
ANE-005-03	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6Gy	★★★☆☆	★★☆☆	38%	07%	6.2	0.44	0.30	0.9
ANE-005-04	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6Gn	★★★☆☆	★★☆☆	36%	09%	6.2	0.47	0.56	0.9
ANE-005-05	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6SpGn	★★★☆☆	★★☆☆	41%	05%	6.2	0.40	0.48	0.9
ANE-005-06	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6ET	★★★☆☆	★★★★☆☆	39%	33%	4.6	0.53	0.59	0.9
ANE-005-07	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6ETGn	★★★★☆☆	★★★★	50%	25%	4.6	0.38	0.52	0.9
ANE-005-08	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6ETSpGn	★★★★☆☆	★★★☆☆	55%	21%	4.6	0.31	0.44	0.9
ANE-005-09	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6SolTech	★★★★☆☆	★★★★☆☆	48%	26%	4.6	0.41	0.46	0.9
ANE-005-10	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6SolTechGy	★★★★☆☆	★★★☆☆	57%	19%	4.6	0.28	0.22	0.9

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-005-11	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6Sn	★★★☆☆	★★★★	44%	25%	4.9	0.45	0.49	0.9
ANE-005-12	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6.38CPClr	★★★☆☆	★★★★☆	40%	32%	4.6	0.52	0.60	0.9
ANE-005-13	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6.38CPGy	★★★★☆	★★★★	50%	25%	4.6	0.38	0.28	0.9
ANE-005-14	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6.38CPGn	★★★★☆	★★★★☆	49%	25%	4.6	0.39	0.52	0.9
ANE-005-15	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6.38CPNtl	★★★★☆	★★★★☆	49%	25%	4.6	0.39	0.43	0.9
ANE-005-16	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6PIG	★★★☆☆	★★★★☆	39%	33%	4.6	0.53	0.59	0.9
ANE-005-17	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6.38GyLam	★★★☆☆	★★★☆☆	36%	12%	6.0	0.48	0.33	0.9
ANE-005-18	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6ETGy	★★★★☆	★★★☆☆	51%	24%	4.6	0.36	0.29	0.9
ANE-005-19	HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	6.38Grn	★★☆☆	★★★☆☆	32%	15%	6.0	0.54	0.52	0.9
ANE-006-01	HS 2P10 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	10Clr	★★☆☆	★★★☆☆	29%	15%	6.1	0.56	0.62	0.3
ANE-006-02	HS 2P10 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	10.38CPClr	★★★☆☆	★★★★☆	42%	31%	4.6	0.49	0.58	0.3
ANE-006-03	HS 2P10 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	10.38Clr	★★☆☆	★★★☆☆	30%	16%	6.0	0.56	0.63	0.3
ANE-006-04	HS 2P10 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	10.38Gy	★★★☆☆	★★	39%	10%	6.0	0.44	0.30	0.3
ANE-006-05	HS 2P10 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	10Gy	★★★☆☆	★★☆☆	44%	04%	6.1	0.36	0.20	0.3
ANE-006-06	HS 2P10 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	10ET	★★★☆☆	★★★★☆	41%	31%	4.6	0.50	0.58	0.3
ANE-006-07	HS 2P10 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	10.38CPNtl	★★★★☆	★★★★	50%	25%	4.6	0.38	0.45	0.3
ANE-006-08	HS 2P10 SS A - Aluminium Sashless Horizontal Slider - Single Glazed	10.38CPGy	★★★★☆	★★★☆☆	51%	24%	4.6	0.36	0.28	0.3
ANE-007-01	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	4Clr/14Clr/4Clr	★★★☆☆	★★★★☆	37%	43%	4.0	0.59	0.61	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-007-02	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	4Clr/14Ar/4ET	★★★☆☆	★★★★★★	44%	50%	3.2	0.55	0.56	0.6
ANE-007-03	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	4Gy/14Ar/4ET	★★★★☆☆	★★★★★★☆	56%	42%	3.2	0.39	0.35	0.6
ANE-007-04	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	4Gn/14Ar/4ET	★★★★☆☆	★★★★★★☆	55%	43%	3.2	0.41	0.52	0.6
ANE-007-05	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	4SpGn/14Ar/4ET	★★★★★☆☆	★★★★★★	60%	38%	3.2	0.33	0.47	0.6
ANE-007-06	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	4Sn/14Ar/4Clr	★★★★☆☆	★★★★★★☆	54%	40%	3.4	0.41	0.47	0.6
ANE-007-07	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	6.38CPClr/12Ar/4Clr	★★★★☆☆	★★★★★★☆	51%	46%	3.2	0.47	0.56	0.6
ANE-007-08	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	6.38CPGy/12Ar/4Clr	★★★★★☆☆	★★★★★★	60%	38%	3.2	0.33	0.27	0.6
ANE-007-09	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	6.38CPGn/12Ar/4Clr	★★★★★☆☆	★★★★★★☆	60%	39%	3.2	0.34	0.49	0.6
ANE-007-10	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	6.38CPNtl/12Ar/4Clr	★★★★★☆☆	★★★★★★☆	60%	39%	3.2	0.34	0.40	0.6
ANE-007-11	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	4Clr/12Ar/6SB70XL	★★★★★☆☆	★★★★★★☆	63%	39%	3.0	0.30	0.49	0.6
ANE-007-12	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	6SB70XL/12Ar/4ET	★★★★★☆☆	★★★★★★☆	70%	35%	2.8	0.21	0.45	0.6
ANE-007-13	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 4/14/4	★★★☆☆	★★★★★★☆	37%	45%	3.9	0.60	0.61	0.6
ANE-007-14	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 5/12/5	★★★☆☆	★★★★★★☆	38%	44%	3.9	0.59	0.61	0.6
ANE-007-15	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 6/12/4	★★★☆☆	★★★★★★☆	39%	44%	3.9	0.58	0.61	0.6
ANE-007-16	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Gy 4/14/4	★★★★☆☆	★★★★★★	49%	38%	3.9	0.45	0.38	0.6
ANE-007-17	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Gy 6/12/4	★★★★☆☆	★★★★★★☆	53%	34%	3.9	0.39	0.30	0.6
ANE-007-18	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr lam 6.38/12/4	★★★☆☆	★★★★★★☆	41%	43%	3.8	0.56	0.61	0.6
ANE-007-19	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC WTrans lam 6.38/12/4	★★★★☆☆	★★★★★★☆	48%	38%	3.8	0.46	0.46	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-007-20	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 4/14/4	★★★★☆	★★★★★☆☆	53%	44%	3.2	0.44	0.52	0.6
ANE-007-21	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 5/12/5	★★★★☆	★★★★★☆☆	53%	43%	3.2	0.43	0.51	0.6
ANE-007-22	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 4/12/6	★★★★☆	★★★★★☆☆	53%	43%	3.2	0.43	0.51	0.6
ANE-007-23	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Gy 4/14/4	★★★★☆	★★★★★☆☆	57%	40%	3.2	0.38	0.32	0.6
ANE-007-24	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Gy 6/12/4	★★★★★☆☆	★★★★★☆☆	61%	37%	3.2	0.32	0.25	0.6
ANE-007-25	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr lam 4/12/6.38	★★★★☆	★★★★★☆☆	53%	43%	3.2	0.43	0.51	0.6
ANE-007-26	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME WTrans lam 4/12/6.38	★★★★☆	★★★★★☆☆	54%	43%	3.2	0.42	0.39	0.6
ANE-007-27	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 4/14/4	★★★★☆	★★★★★☆☆	51%	47%	3.1	0.47	0.61	0.6
ANE-007-28	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 5/12/5	★★★★☆	★★★★★☆☆	52%	47%	3.1	0.46	0.60	0.6
ANE-007-29	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 6/12/4	★★★★☆	★★★★★☆☆	52%	47%	3.0	0.46	0.60	0.6
ANE-007-30	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Gy 4/14/4	★★★★★☆☆	★★★★★☆☆	60%	40%	3.1	0.34	0.38	0.6
ANE-007-31	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Gy 6/12/4	★★★★★☆☆	★★★★★☆☆	64%	37%	3.0	0.28	0.30	0.6
ANE-007-32	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr lam 6.38/12/4	★★★★☆	★★★★★☆☆	53%	46%	3.0	0.45	0.60	0.6
ANE-007-33	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS WTrans lam 6.38/12/4	★★★★★☆☆	★★★★★☆☆	59%	42%	3.0	0.36	0.46	0.6
ANE-007-34	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG MAX Clr 6/12/4	★★★★★☆☆	★★★★★☆☆	68%	34%	3.0	0.22	0.49	0.6
ANE-007-35	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG MAX Gy 6/12/4	★★★★★☆☆	★★★★★☆☆	69%	33%	3.0	0.22	0.31	0.6
ANE-007-36	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG MAX Clr lam 6/10/6.38	★★★★★☆☆	★★★★★☆☆	68%	33%	3.0	0.22	0.49	0.6
ANE-007-37	HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed	AGG MAX WTrans lam 6/10/6.38	★★★★★☆☆	★★★★★☆☆	69%	33%	3.0	0.22	0.37	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-008-01	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	4Clr/14/4Clr	★★★☆☆	★★★★★☆☆	45%	48%	3.3	0.54	0.56	0.6
ANE-008-02	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	4Clr/14Ar/4ET	★★★★☆☆	★★★★★☆☆	50%	54%	2.6	0.51	0.52	0.6
ANE-008-03	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	4Gy/14Ar/4ET	★★★★★☆☆	★★★★★☆☆	61%	46%	2.6	0.36	0.32	0.6
ANE-008-04	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	4Gn/14Ar/4ET	★★★★★☆☆	★★★★★☆☆	60%	48%	2.6	0.38	0.48	0.6
ANE-008-05	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	4SpGn/14Ar/4ET	★★★★★☆☆	★★★★★☆☆	65%	43%	2.6	0.30	0.43	0.6
ANE-008-06	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	4Sn/14Ar/4Clr	★★★★★☆☆	★★★★★☆☆	59%	45%	2.8	0.38	0.43	0.6
ANE-008-07	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	6.38CPClr/12Ar/4Clr	★★★★☆☆	★★★★★☆☆	56%	51%	2.6	0.44	0.52	0.6
ANE-008-08	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	6.38CPGy/12Ar/4Clr	★★★★★☆☆	★★★★★☆☆	65%	43%	2.6	0.30	0.25	0.6
ANE-008-09	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	6.38CPGn/12Ar/4Clr	★★★★★☆☆	★★★★★☆☆	64%	43%	2.6	0.31	0.45	0.6
ANE-008-10	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	6.38CPNtl/12Ar/4Clr	★★★★★☆☆	★★★★★☆☆	64%	44%	2.6	0.32	0.37	0.6
ANE-008-11	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	4Clr/12Ar/6SB70XL	★★★★★☆☆	★★★★★☆☆	67%	44%	2.4	0.28	0.45	0.6
ANE-008-12	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	6SB70XL/12Ar/4ET	★★★★★☆☆	★★★★★☆☆	74%	41%	2.2	0.20	0.42	0.6
ANE-008-13	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 4/14/4	★★★☆☆	★★★★★☆☆	44%	50%	3.2	0.55	0.57	0.6
ANE-008-14	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 5/12/5	★★★☆☆	★★★★★☆☆	45%	50%	3.2	0.54	0.56	0.6
ANE-008-15	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 6/12/4	★★★☆☆	★★★★★☆☆	46%	49%	3.2	0.54	0.56	0.6
ANE-008-16	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Gy 4/14/4	★★★★☆☆	★★★★★☆☆	54%	43%	3.2	0.42	0.36	0.6
ANE-008-17	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Gy 6/12/4	★★★★★☆☆	★★★★★☆☆	58%	40%	3.2	0.36	0.28	0.6
ANE-008-18	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr lam 6.38/12/4	★★★★☆☆	★★★★★☆☆	47%	48%	3.2	0.51	0.57	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-008-19	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG CLASSIC WTrans lam 6.38/12/4	★★★★☆	★★★★★☆☆	54%	44%	3.2	0.43	0.43	0.6
ANE-008-20	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 4/14/4	★★★★☆	★★★★★☆☆	58%	49%	2.6	0.40	0.48	0.6
ANE-008-21	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 5/12/5	★★★★☆	★★★★★☆☆	59%	48%	2.6	0.39	0.48	0.6
ANE-008-22	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 4/12/6	★★★★☆	★★★★★☆☆	58%	49%	2.6	0.40	0.48	0.6
ANE-008-23	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Gy 4/14/4	★★★★☆	★★★★★☆☆	62%	46%	2.6	0.35	0.30	0.6
ANE-008-24	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Gy 6/12/4	★★★★☆	★★★★★☆☆	66%	42%	2.6	0.29	0.24	0.6
ANE-008-25	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr lam 4/12/6.38	★★★★☆	★★★★★☆☆	59%	49%	2.6	0.40	0.48	0.6
ANE-008-26	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PRIME WTrans lam 4/12/6.38	★★★★☆	★★★★★☆☆	60%	48%	2.6	0.38	0.36	0.6
ANE-008-27	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 4/14/4	★★★★☆	★★★★★☆☆	57%	52%	2.4	0.44	0.56	0.6
ANE-008-28	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 5/12/5	★★★★★	★★★★★☆☆	57%	52%	2.4	0.43	0.56	0.6
ANE-008-29	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 6/12/4	★★★★★	★★★★★☆☆	58%	52%	2.4	0.42	0.56	0.6
ANE-008-30	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Gy 4/14/4	★★★★☆	★★★★★☆☆	65%	45%	2.4	0.31	0.35	0.6
ANE-008-31	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Gy 6/12/4	★★★★★ ☆	★★★★★☆☆	68%	42%	2.4	0.26	0.28	0.6
ANE-008-32	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr lam 6.38/12/4	★★★★☆	★★★★★☆☆	58%	51%	2.4	0.41	0.56	0.6
ANE-008-33	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG PLUS WTrans lam 6.38/12/4	★★★★☆	★★★★★☆☆	64%	47%	2.4	0.33	0.43	0.6
ANE-008-34	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG MAX Clr 6/12/4	★★★★★ ☆	★★★★★☆☆	73%	39%	2.4	0.20	0.45	0.6
ANE-008-35	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG MAX Gy 6/12/4	★★★★★ ☆	★★★★★☆☆	73%	38%	2.4	0.20	0.28	0.6
ANE-008-36	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG MAX Clr lam 6/10/6.38	★★★★★ ☆	★★★★★☆☆	72%	39%	2.4	0.20	0.45	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-008-37	HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed	AGG MAX WTrans lam 6/10/6.38	★★★★★ ☆	★★★★★	73%	38%	2.4	0.20	0.34	0.6
ANE-009-01	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6Clr	★★☆	★★★★☆	28%	30%	5.2	0.63	0.66	0.9
ANE-009-02	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6.38ClrLam	★★☆	★★★★☆	29%	31%	5.1	0.62	0.67	0.9
ANE-009-03	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6Gy	★★★☆	★★★☆☆	43%	20%	5.2	0.44	0.31	0.9
ANE-009-04	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6Gn	★★★☆	★★★☆☆	41%	22%	5.2	0.47	0.58	0.9
ANE-009-05	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6SpGn	★★★☆	★★★☆☆	46%	18%	5.2	0.40	0.49	0.9
ANE-009-06	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6ET	★★★☆	★★★★★☆☆	44%	44%	3.6	0.53	0.61	0.9
ANE-009-07	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6ETGy	★★★★☆	★★★★☆	56%	35%	3.6	0.36	0.30	0.9
ANE-009-08	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6ETGn	★★★★☆	★★★★☆	55%	37%	3.6	0.38	0.53	0.9
ANE-009-09	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6ETSpGn	★★★★★☆	★★★★☆	60%	32%	3.6	0.31	0.46	0.9
ANE-009-10	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6SolTech	★★★★☆	★★★★★	53%	38%	3.6	0.41	0.48	0.9
ANE-009-11	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6SolTechGy	★★★★★☆	★★★★☆	62%	31%	3.6	0.28	0.22	0.9
ANE-009-12	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6Sn	★★★★☆	★★★★★	48%	37%	3.9	0.46	0.51	0.9
ANE-009-13	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6.38CPClr	★★★☆	★★★★★☆☆	45%	44%	3.6	0.52	0.62	0.9
ANE-009-14	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6.38CPGy	★★★★☆	★★★★☆	55%	37%	3.6	0.38	0.29	0.9
ANE-009-15	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6.38CPGn	★★★★☆	★★★★★	54%	37%	3.6	0.39	0.53	0.9
ANE-009-16	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6.38CPNtl	★★★★☆	★★★★★	54%	38%	3.6	0.40	0.44	0.9
ANE-009-17	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6PIG	★★★☆	★★★★★☆☆	44%	44%	3.6	0.53	0.61	0.9

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-009-18	HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed	6.38Gy	★★★☆☆	★★★☆☆	43%	22%	5.1	0.44	0.31	0.9
ANE-010-01	HS 2P10 SS T - Timber Sashless Horizontal Slider - Single Glazed	10Clr	★★☆☆*	★★★★☆☆	33%	28%	5.1	0.57	0.64	0.3
ANE-010-02	HS 2P10 SS T - Timber Sashless Horizontal Slider - Single Glazed	10.38CPClr	★★★★	★★★★★☆☆	47%	42%	3.6	0.49	0.60	0.3
ANE-010-03	HS 2P10 SS T - Timber Sashless Horizontal Slider - Single Glazed	10.38Clr	★★☆☆*	★★★★☆☆	33%	28%	5.1	0.57	0.64	0.3
ANE-010-04	HS 2P10 SS T - Timber Sashless Horizontal Slider - Single Glazed	10Gy	★★★★☆☆	★★★☆☆	48%	18%	5.1	0.37	0.21	0.3
ANE-010-05	HS 2P10 SS T - Timber Sashless Horizontal Slider - Single Glazed	10.38Gy	★★★☆☆	★★★☆☆	43%	22%	5.1	0.45	0.31	0.3
ANE-010-06	HS 2P10 SS T - Timber Sashless Horizontal Slider - Single Glazed	10ET	★★★★	★★★★★☆☆	46%	43%	3.6	0.50	0.59	0.3
ANE-010-07	HS 2P10 SS T - Timber Sashless Horizontal Slider - Single Glazed	10.38CPNtl	★★★★☆☆	★★★★★	54%	37%	3.6	0.39	0.46	0.3
ANE-010-08	HS 2P10 SS T - Timber Sashless Horizontal Slider - Single Glazed	10.38CPGy	★★★★☆☆	★★★★☆☆	56%	35%	3.6	0.36	0.29	0.3
ANE-011-01	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	4Clr/14/4Clr	★★★☆☆	★★★★★☆☆	41%	53%	3.1	0.60	0.63	0.6
ANE-011-02	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	4Clr/14Ar/4ET	★★★★☆☆	★★★★★☆☆	48%	60%	2.3	0.56	0.59	0.6
ANE-011-03	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	4Gy/14Ar/4ET	★★★★★☆☆	★★★★★☆☆	60%	52%	2.3	0.40	0.36	0.6
ANE-011-04	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	4Gn/14Ar/4ET	★★★★★☆☆	★★★★★☆☆	58%	53%	2.3	0.42	0.54	0.6
ANE-011-05	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	4SpGn/14Ar/4ET	★★★★★☆☆	★★★★★☆☆	65%	48%	2.3	0.33	0.49	0.6
ANE-011-06	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	4Sn/14Ar/4Clr	★★★★★	★★★★★☆☆	57%	51%	2.5	0.42	0.49	0.6
ANE-011-07	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	6.38CPClr/12Ar/4Clr	★★★★☆☆	★★★★★☆☆	54%	56%	2.3	0.48	0.58	0.6
ANE-011-08	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	6.38CPGy/12Ar/4Clr	★★★★★☆☆	★★★★★☆☆	65%	48%	2.3	0.33	0.28	0.6
ANE-011-09	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	6.38CPGn/12Ar/4Clr	★★★★★☆☆	★★★★★☆☆	64%	48%	2.3	0.34	0.51	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-011-10	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	6.38CPNtl/12Ar/4Clr	★★★★☆	★★★★☆	63%	49%	2.3	0.35	0.42	0.6
ANE-011-11	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	4Clr/12Ar/6SB70XL	★★★★★ ☆	★★★★☆	68%	48%	2.1	0.30	0.51	0.6
ANE-011-12	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	6SB70XL/12Ar/4ET	★★★★★ ★	★★★★☆	75%	45%	1.9	0.21	0.47	0.6
ANE-011-13	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 4/14/4	★★★☆☆	★★★★★ ☆	40%	55%	3.0	0.61	0.64	0.6
ANE-011-14	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 5/12/5	★★★☆☆	★★★★★ ☆	41%	55%	3.0	0.60	0.63	0.6
ANE-011-15	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 6/12/4	★★★☆☆	★★★★★ ☆	42%	55%	3.0	0.60	0.63	0.6
ANE-011-16	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Gy 4/14/4	★★★★☆	★★★★★ ☆	52%	48%	3.0	0.46	0.40	0.6
ANE-011-17	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Gy 6/12/4	★★★★★	★★★★★ ☆	57%	44%	3.0	0.39	0.31	0.6
ANE-011-18	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr lam 6.38/12/4	★★★☆☆	★★★★★ ☆	44%	54%	2.9	0.57	0.64	0.6
ANE-011-19	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC WTrans lam 6.38/12/4	★★★★☆	★★★★★ ☆	52%	49%	2.9	0.47	0.48	0.6
ANE-011-20	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 4/14/4	★★★★★	★★★★★ ☆	57%	54%	2.3	0.44	0.54	0.6
ANE-011-21	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 5/12/5	★★★★★	★★★★★ ☆	57%	54%	2.3	0.44	0.53	0.6
ANE-011-22	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 4/12/6	★★★★★	★★★★★ ☆	57%	54%	2.3	0.44	0.53	0.6
ANE-011-23	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Gy 4/14/4	★★★★★ ☆	★★★★★ ☆	61%	51%	2.3	0.38	0.34	0.6
ANE-011-24	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Gy 6/12/4	★★★★★ ☆	★★★★★ ☆	65%	47%	2.3	0.32	0.27	0.6
ANE-011-25	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr lam 4/12/6.38	★★★★★	★★★★★ ☆	57%	54%	2.3	0.44	0.54	0.6
ANE-011-26	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME WTrans lam 4/12/6.38	★★★★★ ☆	★★★★★ ☆	58%	53%	2.3	0.42	0.41	0.6
ANE-011-27	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 4/14/4	★★★★☆	★★★★★ ☆	55%	58%	2.1	0.48	0.63	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-011-28	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 5/12/5	★★★★☆	★★★★★ ☆	56%	58%	2.1	0.47	0.63	0.6
ANE-011-29	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 6/12/4	★★★★☆	★★★★★ ☆	56%	57%	2.1	0.47	0.63	0.6
ANE-011-30	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Gy 4/14/4	★★★★★	★★★★★	65%	50%	2.1	0.34	0.39	0.6
ANE-011-31	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Gy 6/12/4	★★★★★ ☆	★★★★★ ☆	68%	47%	2.1	0.29	0.31	0.6
ANE-011-32	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr lam 6.38/12/4	★★★★★	★★★★★ ☆	57%	57%	2.1	0.45	0.63	0.6
ANE-011-33	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS WTrans lam 6.38/12/4	★★★★★	★★★★★ ☆	63%	52%	2.1	0.37	0.48	0.6
ANE-011-34	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG MAX Clr 6/12/4	★★★★★ ☆	★★★★★ ☆	73%	44%	2.1	0.22	0.51	0.6
ANE-011-35	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG MAX Gy 6/12/4	★★★★★ ☆	★★★★★ ☆	73%	43%	2.1	0.21	0.32	0.6
ANE-011-36	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG MAX Clr lam 6/10/6.38	★★★★★ ☆	★★★★★ ☆	73%	43%	2.1	0.22	0.51	0.6
ANE-011-37	HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed	AGG MAX WTrans lam 6/10/6.38	★★★★★ ☆	★★★★★ ☆	73%	43%	2.1	0.22	0.39	0.6
ANE-012-01	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	4Clr/14/4Clr	★★★☆☆	★★★★★ ☆	42%	55%	2.9	0.59	0.62	0.6
ANE-012-02	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	4Clr/14Ar/4ET	★★★★☆	★★★★★ ★	50%	62%	2.1	0.55	0.58	0.6
ANE-012-03	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	4Gy/14Ar/4ET	★★★★★	★★★★★ ☆	61%	53%	2.1	0.39	0.36	0.6
ANE-012-04	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	4Gn/14Ar/4ET	★★★★★	★★★★★ ☆	60%	55%	2.1	0.41	0.53	0.6
ANE-012-05	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	4SpGn/14Ar/4ET	★★★★★	★★★★★	66%	50%	2.1	0.33	0.48	0.6
ANE-012-06	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	4Sn/14Ar/4Clr	★★★★★	★★★★★ ☆	59%	52%	2.3	0.41	0.48	0.6
ANE-012-07	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	6.38CPClr/12Ar/4Clr	★★★★☆	★★★★★ ☆	56%	58%	2.1	0.47	0.57	0.6
ANE-012-08	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	6.38CPGy/12Ar/4Clr	★★★★★	★★★★★	66%	50%	2.1	0.33	0.27	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-012-09	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	6.38CPGn/12Ar/4Clr	★★★★☆	★★★★★	66%	50%	2.1	0.33	0.50	0.6
ANE-012-10	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	6.38CPNtl/12Ar/4Clr	★★★★☆	★★★★★ ☆	65%	51%	2.1	0.34	0.41	0.6
ANE-012-11	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	4Clr/12Ar/6SB70XL	★★★★★ ☆	★★★★★	68%	50%	1.9	0.30	0.50	0.6
ANE-012-12	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	6SB70XL/12Ar/4ET	★★★★★ ★☆☆	★★★★★ ☆	76%	47%	1.7	0.21	0.46	0.6
ANE-012-13	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 4/14/4	★★★☆☆	★★★★★ ☆	42%	57%	2.8	0.60	0.63	0.6
ANE-012-14	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 5/12/5	★★★☆☆	★★★★★ ☆	43%	56%	2.8	0.59	0.62	0.6
ANE-012-15	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr 6/12/4	★★★☆☆	★★★★★ ☆	44%	56%	2.8	0.58	0.62	0.6
ANE-012-16	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Gy 4/14/4	★★★★☆	★★★★★	54%	50%	2.8	0.45	0.39	0.6
ANE-012-17	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Gy 6/12/4	★★★★☆	★★★★★ ☆	59%	46%	2.8	0.39	0.31	0.6
ANE-012-18	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC Clr lam 6.38/12/4	★★★☆☆	★★★★★ ☆	46%	55%	2.7	0.56	0.62	0.6
ANE-012-19	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG CLASSIC WTrans lam 6.38/12/4	★★★★☆	★★★★★ ☆	53%	51%	2.7	0.46	0.48	0.6
ANE-012-20	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 4/14/4	★★★★☆	★★★★★ ☆	58%	55%	2.1	0.43	0.53	0.6
ANE-012-21	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 5/12/5	★★★★☆	★★★★★ ☆	59%	55%	2.1	0.43	0.52	0.6
ANE-012-22	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr 4/12/6	★★★★☆	★★★★★ ☆	59%	55%	2.1	0.43	0.52	0.6
ANE-012-23	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Gy 4/14/4	★★★★☆	★★★★★ ☆	62%	52%	2.1	0.38	0.33	0.6
ANE-012-24	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Gy 6/12/4	★★★★★	★★★★★ ☆	66%	49%	2.1	0.31	0.26	0.6
ANE-012-25	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME Clr lam 4/12/6.38	★★★★☆	★★★★★ ☆	59%	55%	2.1	0.43	0.53	0.6
ANE-012-26	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PRIME WTrans lam 4/12/6.38	★★★★☆	★★★★★ ☆	60%	55%	2.1	0.41	0.40	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-012-27	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 4/14/4	★★★★☆	★★★★★ ☆	57%	59%	1.9	0.47	0.62	0.6
ANE-012-28	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 5/12/5	★★★★★	★★★★★ ☆	57%	59%	1.9	0.46	0.61	0.6
ANE-012-29	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr 6/12/4	★★★★★	★★★★★ ☆	58%	59%	1.9	0.46	0.61	0.6
ANE-012-30	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Gy 4/14/4	★★★★★ ☆	★★★★★ ☆	66%	52%	1.9	0.34	0.39	0.6
ANE-012-31	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Gy 6/12/4	★★★★★ ☆	★★★★★ ☆	70%	49%	1.9	0.28	0.30	0.6
ANE-012-32	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS Clr lam 6.38/12/4	★★★★★ ☆	★★★★★ ☆	59%	58%	1.9	0.44	0.62	0.6
ANE-012-33	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG PLUS WTrans lam 6.38/12/4	★★★★★ ☆	★★★★★ ☆	65%	53%	1.9	0.36	0.47	0.6
ANE-012-34	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG MAX Clr 6/12/4	★★★★★ ★	★★★★★ ☆	74%	45%	1.9	0.22	0.50	0.6
ANE-012-35	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG MAX Gy 6/12/4	★★★★★ ★	★★★★★ ☆	75%	45%	1.9	0.21	0.31	0.6
ANE-012-36	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG MAX Clr lam 6/10/6.38	★★★★★ ☆	★★★★★ ☆	74%	45%	1.9	0.22	0.50	0.6
ANE-012-37	HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed	AGG MAX WTrans lam 6/10/6.38	★★★★★ ★	★★★★★ ☆	74%	44%	1.9	0.21	0.38	0.6
ANE-013-01	Aluminium Double Hung Window 10mm - Single Glazed	10Clr	★★☆	★★★	29%	16%	6.0	0.57	0.64	0.9
ANE-013-02	Aluminium Double Hung Window 10mm - Single Glazed	10.38Clr	★★☆	★★★	29%	16%	6.0	0.57	0.64	0.9
ANE-013-03	Aluminium Double Hung Window 10mm - Single Glazed	10Gy	★★★	★★	44%	06%	6.0	0.37	0.21	0.9
ANE-013-04	Aluminium Double Hung Window 10mm - Single Glazed	10.38Gy	★★★	★★	38%	10%	6.0	0.45	0.31	0.9
ANE-013-05	Aluminium Double Hung Window 10mm - Single Glazed	10ET	★★★	★★★★☆	42%	32%	4.5	0.50	0.59	0.9
ANE-013-06	Aluminium Double Hung Window 10mm - Single Glazed	10.38CP Clr	★★★	★★★★☆	43%	33%	4.4	0.49	0.59	0.9
ANE-013-07	Aluminium Double Hung Window 10mm - Single Glazed	10.38CP Ntl	★★★★☆	★★★★☆	50%	26%	4.5	0.39	0.46	0.9

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-013-08	Aluminium Double Hung Window 10mm - Single Glazed	10.38CP Gy	★★★★☆	★★★★☆	52%	26%	4.4	0.36	0.28	0.9
ANE-015-01	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Clr/14/4Clr	★★★☆☆	★★★★★☆☆	40%	56%	2.9	0.62	0.67	0.6
ANE-015-02	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Clr/14Ar/4ETClr	★★★★	★★★★★☆☆	46%	64%	2.1	0.59	0.62	0.6
ANE-015-03	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Clr/14Ar/4ETGy	★★★★☆	★★★★★☆☆	48%	63%	2.1	0.57	0.38	0.6
ANE-015-04	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Clr/14Ar/4ETGn	★★★★☆	★★★★★☆☆	48%	63%	2.1	0.57	0.56	0.6
ANE-015-05	Thermaglride Thermally Broken Sashless Window - Double Glazed	4SpGn/14Ar/4ETClr	★★★★★☆☆	★★★★★☆☆	65%	51%	2.1	0.34	0.51	0.6
ANE-015-06	Thermaglride Thermally Broken Sashless Window - Double Glazed	4SpGn/14Ar/4ETGy	★★★★★☆☆	★★★★★☆☆	66%	50%	2.1	0.33	0.31	0.6
ANE-015-07	Thermaglride Thermally Broken Sashless Window - Double Glazed	4SpGn/14Ar/4ETGn	★★★★★☆☆	★★★★★☆☆	65%	51%	2.1	0.34	0.46	0.6
ANE-015-08	Thermaglride Thermally Broken Sashless Window - Double Glazed	6.38CPClR/12/4Clr	★★★★☆	★★★★★☆☆	52%	58%	2.3	0.51	0.62	0.6
ANE-015-09	Thermaglride Thermally Broken Sashless Window - Double Glazed	6.38CPGy/12/4Clr	★★★★★☆☆	★★★★★☆☆	63%	50%	2.3	0.36	0.29	0.6
ANE-015-10	Thermaglride Thermally Broken Sashless Window - Double Glazed	6.38CPGn/12/4Clr	★★★★★☆☆	★★★★★☆☆	63%	50%	2.3	0.36	0.53	0.6
ANE-015-11	Thermaglride Thermally Broken Sashless Window - Double Glazed	4SnClr/14/4Clr	★★★★☆	★★★★★☆☆	56%	52%	2.5	0.44	0.51	0.6
ANE-015-12	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Clr/14/4ETClr	★★★☆☆	★★★★★☆☆	45%	61%	2.3	0.59	0.62	0.6
ANE-015-13	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Clr/14/4ETGy	★★★★☆	★★★★★☆☆	48%	60%	2.3	0.56	0.38	0.6
ANE-015-14	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Clr/14/4ETGn	★★★★	★★★★★☆☆	47%	61%	2.3	0.57	0.56	0.6
ANE-015-15	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Clr/14/4PbG	★★★☆☆	★★★★★☆☆	44%	62%	2.3	0.60	0.62	0.6
ANE-015-16	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Gy/14/4Clr	★★★★☆	★★★★★☆☆	53%	49%	2.9	0.46	0.42	0.6
ANE-015-17	Thermaglride Thermally Broken Sashless Window - Double Glazed	4Gy/14/4PbG	★★★★★☆☆	★★★★★☆☆	58%	53%	2.3	0.42	0.38	0.6

Window ID ▲	Frame	Glazing	Cooling Stars	Heating Stars	Cool%	Heat%	U _w	SHGC _w	T _{vw}	Air Inf
ANE-015-18	Thermaglide Thermally Broken Sashless Window - Double Glazed	6SoIT/12/4Clr	★★★★☆	★★★★★ ☆	61%	51%	2.3	0.39	0.47	0.6
ANE-015-19	Thermaglide Thermally Broken Sashless Window - Double Glazed	6SoIT/12/4ETClr	★★★★☆	★★★★★ ☆	62%	51%	2.2	0.37	0.44	0.6
ANE-015-20	Thermaglide Thermally Broken Sashless Window - Double Glazed	6SoIT/12/4ETGy	★★★★☆	★★★★★	64%	50%	2.2	0.35	0.27	0.6
ANE-015-21	Thermaglide Thermally Broken Sashless Window - Double Glazed	6SoIT/12/4ETGn	★★★★☆	★★★★★ ☆	63%	51%	2.2	0.36	0.40	0.6
ANE-015-22	Thermaglide Thermally Broken Sashless Window - Double Glazed	4PtOne / 12Ar / 6Clr	★★★★☆	★★★★★ ☆	64%	57%	1.7	0.38	0.58	0.6