





3 pane servery 6mm sashless double hung in alum frames A FSuF (middle pane moving - medium box) (outside view with aluminium covers fixed vertical section A-A ſ 87,2 29 fixed head (by others) FSdF Alternative Option head adaptor fixed T pulley and cord arrangement fixed glass height = (opening + 114mm) / 3 aneeta opening size standard handle (clear acrylic) 6mm lapseal 6mm toughened or laminated glass flyscreen (by others) 300pa sill adaptor sill (by others) រប ល aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types inside outside












3 pane servery 6mm sashless double hung in alum frames (middle pane moving - large box) FSdF Alternative Option FSuF (outside view) with aluminium covers В B fixed fixed horizontal section B-B ſ glass width = opening - 130mm aneeta opening size flyscreen (optional by others) 6mm combination tee outside top pane -8 weight 92x36 ead total joined lead approx 31.4 kg/n bottom pane inside aluminium cover <u>BJ99116</u> lock 100 x 45mm box containing lead weight to counter balance moving pane of glass flush filler (by others) jamb (by others) © COPYRIGHT ANEETA WINDOW SYSTEMS (VIC) PTY LTD For Technical Assistance Call PATENTS GRANTED 1800 653 207







3 pane servery 6mm sashless double hung in alum frames (middle pane moving - extra large box) FSdF Alternative Option FSuF (outside view) with aluminium covers В B fixed fixed horizontal section B-B ſ glass width = opening - 192mm aneeta opening size flyscreen (optional by others) 6mm combination tee outside top pane 101,6-18.8 2of joined l approx 2 x bottom pane inside aluminium cover lock 101.6 x 76.2mm box containing lead weight to counter balance moving pane of glass flush filler (by others) jamb (by others)